



DEVICE CATALOG

DIOLASHeer *ice* pro

SUPER DIODE LASER HAIR REMOVAL SERIES



Five spot size diode laser hair removal device

\$20,500
+\$1500 Shipping

01



AMERICAN COHERENT LASER BAR

100 million shots warranty.

02



COLLIMATOR LENS FOCUS BEAM

Collimate the light path, reduce the divergence angle of the beam, and turn the divergent light path into a parallel light path.

03



360° COOLING PELTIER

108w super cooling power, the surface temperature of the spot can reach -30°C .

SAPPHIRE CRYSTAL

Best light and cold conductivity, ensuring the effectiveness and comfort of the treatment.




INTELLIGENT TEMPERATURE MONITORING SYSTEM

Real-time monitoring of the surface temperature of the handle


2000W HIGH POWER

MULTIPLE SPECIFICATIONS TREATMENT HEAD


A variety of different powers and different spot sizes are available to meet the treatment needs of different parts of the customer




Φ8mm




12*14mm



12*24mm



12*30mm



12*40mm

FOUR WAVELENGTHS OPTIONAL

755nm



808nm



940nm



1064nm



Unique al diode laser technology, equipped with hair detection the results of each treatment are visible to be seen.



Before



After one treatment



After two treatments

DIOLASHeer *ice*

DIODE LASER HAIR REMOVAL SERIES



2 handle diode laser hair removal device

\$17,000


+\$1500 Shipping

1 handle diode laser hair removal device

\$15,500

+\$1500 Shipping

FOUR WAVELENGTHS OPTIONAL




600W-2400W MULTIPLE POWER COMBINATIONS OPTIONAL


A variety of different powers and different spot sizes are available to meet the treatment needs of different parts of the customer




(Only for 12*12mm handle)




20*20mm




12*28mm



12*24mm



12*20mm



12*12mm




AMERICAN COHERENT LASER BAR

100 million shots warranty



ANDROID SYSTEM

WIFI AND BLUETOOTH CONNECTION



CLOUD DATA TRANSFER

REMOTE CONTROL SYSTEM

- Remotely control machine on mobile
- Remotely setting parameters on mobile
- Remotely create and view user information on mobile

TOUCH SCREEN HANDLE

1.54-inch high-definition OLED touch screen, treatment parameters can be adjusted directly on the handle screen.

- Energy adjustment
- Pulse width adjustment
- Frequency adjustment
- Real-time temperature monitoring

SPECIFICATION

Power	3000W
Power of handle	600-2400W optional
wavelength	808nm 755nm 940nm 1064nm optional
Energy density	10-60J/cm2 (Deviation≤±2%)
Pulse width range	1-400ms 1-200ms
Spot size	12*12mm; 12*20mm; 12*24mm; 12*28mm; 20*20mm
Frequency	1-20HZ
compressor cooling system	TEC cooling system/compressor cooling system
Voltage	AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ


PICOFOCUS
PICOSECOND LASER SERIES



Picosecond laser device

\$34,000
+\$1500 Shipping


1064nm HP (Standard) 585nm Dye Laser HP (optional) 650nm Dye Laser HP (optional) 532nm HP (Standard) Focus Array Lens



TOP HAT BEAM PROFILE

A pulse with a flat-top profile distributes the high-energy radiation particularly evenly, which destroys the target structures without affecting the surrounding tissue and significantly injuring the epidermis.

FOUR-MODE OPERATION INTERFACE



The world's unique four-mode operation interface, picosecond mode, long pulse mode, PTP mode, multi-pulse mode, fully meet the needs of various treatment projects.

SOUTH KOREA LASER ARM

The lens in the arm has high reflection accuracy, low energy loss rate, uniform light spot and stable output.



PICOSECOND LASER VS NANOSECOND LASER

- Minimized Risk & Minimized Discomfort
- More Effective & Faster Result



SPECIFICATION

Wavelength	1064nm 532nm Standard; 585nm,650nm Optional
Energy	1500mj (1064nm) ; 800mj (532nm)
Peak Power	1064nm 1.33GW; 532nm 0.67GW
Frequency	1~10Hz
Zoom Spot Size	2-10mm Adjustable
Pulse Width	450ps
Beam Profile	Top Hat Beam
Light Guiding System	7 joints Arm
Aiming Beam	Diode 655 nm (Red),



ND YAG LASER SERIES



Vertical Nd yag laser device

\$6250
+\$700 Shipping



Portable Nd yag laser device

\$5400
+\$600 Shipping

4 KINDS OF TREATMENT HEADS



4 kinds of treatment heads, including 532nm, 1064nm, 1320nm carbon peel lens, 755nm fractional lens, com-
prehensively cover the treatment needs of various treatment projects



1064nm



532nm



1320nm carbon peel lens



755nm fractional lens (optional)

UK LAMP



The UK xenon lamp, diameter 7MM, high energy and long life.
Warranty 5 million shots.

7MM DISMETER LASER ROD



The laser rod is the core accessory in the handle, and its quality
directly affects the strength of the laser energy. Generally, the
larger the diameter of the laser rod, the higher the energy.

SPECIFICATION


Power :	800W
Energy :	300–1000mj
Output Frequency :	1–10Hz
Screen size :	8 inch
Wavelength :	532nm 1064nm 1320nm
Cooling System :	Air +water cooling
Voltage :	AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ

CARBON LASER SKIN REJUVENATION



“Carbon Laser Skin Rejuvenation”—as we tech-
nically call it, is an adept non invasive and
pain-free laser treatment that is great for treat-
ing minor skin imperfections and giving skin a
glow from within. This laser facial is delivered by
a state of the art Laser machine producing short,
rapid and high intensity pulses of light with maxi-
mum capability for destruction of debris clogged
in the pores and upper layers of skin.

PRINCIPLES OF TREATMENT



SCOPE OF TREATMENT

Tattoo Removal
Permanent Makeup and All Colors Tattoo Removal

Pigmented Lesions Treatment
Nevus of Ota, birthmark, Sun Spot,Coffee Spot,
Age Spot, Freckle

Skin rejuvenation
Oil control, Skin Whitening, Enlarged Pore Treat-
ment, Carbon Laser Skin Rejuvenation






EMS BODY SCULPTING SERIES



EMS Sculpting Device

\$16,500
+\$850 Shipping




ANDROID SYSTEM

WIFI AND BLUETOOTH CONNECTION


REMOTE CONTROL SYSTEM

- Remotely control machine on mobile
- Remotely setting parameters on mobile
- Remotely create and view user information on mobile

MUSCLE BUILD & FAT REDUCTION



RF & HIFEM+



-30% FAT
+25% MUSCLE

MUSCULPTING NEO is based on an applicator simultaneously emitting synchronized RF and High Intensity Focused Electro-Magnetic energies.

FLAT HANDLE





For treatment of abdomen, buttocks, back, chest, shoulders

CURVED HANDLE





For treatment of arms, calves and thighs



FOCUSED ON INCONTINENCE

Repair and Tighten Pelvic Floor / Reduce Urinary Incontinence / Reduce Fecal Incontinence



Atrophic, Postpartum
Pelvic Floor muscle



Normal, Healthy
Pelvic Floor Muscle



- Improve Erectile Dysfunction
- Improve Men Sexual Health
- Improve Vaginal Relaxation
- Improve Women's Sexual Satisfaction
- Improve Women's Ability to Achieve Orgasm

PELVIC FLOOR CHAIR

Pelvic floor handle works to relieve incontinence by stimulating and strengthening the underlying muscles of the pelvic floor.



SPECIFICATION

Frequency:	1-150hz
RF Power:	800W
Power:	5000w
Intensity:	7Tesla
Screen:	15inch tough screen
Pulse width:	310μs±10%
Cooling:	Air Cooling
Voltage:	AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ

SCULPTING
P L A T F O R M


CRYO+MUSCULPTING 2 IN 1 SERIES



EMS Sculpting + Cryo (2-in-1) Device

\$\$17,000
+\$850 Shipping

FAT REDUCTION



MUSCLE BUILD & FAT REDUCTION



MUSCULPTING NEO is based on an applicator simultaneously emitting synchronized RF and High Intensity Focused Electro-Magnetic energies.


SPECIFICATION

Cryo temperature:	-10°C~5C(adjustable)
Vacuum:	0-100Kpa
EMS Frequency:	1-150hz
Power:	5000w
Intensity:	7Tesla
Screen:	12.4inch
Pulse width:	310µs±10%
Cooling:	Air Cooling
Voltage:	AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ


HANDLES



FOR THE ABDOMEN



FOR THE BUTTOCK




EMYOUNG +EMS SCULPTING 2 IN 1 SERIES



EMS Sculpting + RF Face & Body (2-in-1) Device

\$21,000
+\$1500 Shipping

MUSCLE BUILD & FAT REDUCTION




MUSCULPTING NEO is based on an applicator simultaneously emitting synchronized RF and High Intensity

FLAT HANDLE




For treatment of abdomen, buttocks, back, chest, shoulders




CURVED HANDLE



For treatment of arms, calves and thighs



HOW DOES EMYOUNG WORK?



High Intensity Focused Electrical Stimulation




Sync RF

WHAT RESULTS CAN YOU EXPECT FROM THE EMYOUNG TREATMENT?



UP TO SIX CHANNELS CAN WORK SIMULTANEOUSLY

Simultaneously addresses elastin, collagen, muscles and connective tissues



- 37% reduction of facial wrinkles in treated areas
- 23% improvement in the lift of the face
- 30% increase in muscle tone
- 26% increase in collagen
- 19% increase in muscle density
- A two-fold increase in elastin production

BEFORE AND AFTER



FEMTO+DERMA
FRACTIONAL CO2 LASER SERIES

Fractional CO2 Laser Device

\$24,750
+\$1500 Shipping



POrtable Fractional CO2 Laser Device

\$18,000
+\$850 Shipping



TF1

70W HIGH-POWER LASER DRIVER

70w high-power RF tube laser driver from Coherent Inc. USA. High power, stable output, long life, 30,000 hours warranty



7 JOINT LASER ARM

7 joint laser arm from Korealab Inc., South Korea, stable output, small light loss during the output process, and uniform light energy.



SURGICAL HANDPIECES



Two surgical treatment heads with spot sizes of 50mm and 100mm, which are convenient for treatment of different treatment areas.

GYNECOLOGY HANDPIECES




Equipped with 180-degree conical reflector and 45-degree inclined reflector to meet the needs of different customers



We adopted nano sensor motor from Cambridge Co., USA displaying more than 3000 scanner modes more accurately and faster.


VARIOUS OF SHAPES



TREATMENT PROCESS



1. before treatment



2. during treatment



3. after one minute



4. after 30 days



Wrinkle removal



Skin resurfacing



Acne scar removal



Stretch mark removal



Scar removal



Large pore removal

SPECIFICATION

The type of laser	10600nm Carbon dioxide laser
Focus spot diameter	≤0.1mm
Maximum Output Power	70w
Pulse width	0.1~10ms(0.1ms step)
Repeat time	1~20 times (1 step)
Scan Shape	Square; Rectangle; Circle; Triangle; Hexagon; Ellipse; Line
Maximum scan area	20×20mm
Scan Patterns	Standard; Random; Scatter
Screen	12.1" Inch LCD Touch Screen
Voltage	AC 220V 50Hz ;AC 110V 60Hz

micr•derma_{pro}
VACUUM RF MICRONEEDLING SERIES

Needle Tips:
10 Pin - \$10/each
25 Pin - \$10/each
36 Pin - \$10/each
49 Pin - \$12/each
64 Pin - \$14/each

Thermagical Head (Tips)
5*5mm - \$12/each
10*10mm - \$12/each
20*20mm - \$14/each
40*40mm - \$18/each

Pricing for combined
200+ tips purchased



Vertical Vacuum RF Microneedling Device

\$15,000
Shipping Included



Portable Vacuum RF Microneedling Device

\$13,500
Shipping Included

VACUUM RF MICRONEEDLING HANDPIECE

The Microneedling handpiece equipped with USA Haydon stepping motor offers smooth needle delivery that enables comfortable treatment for both practitioners and patients




Golden plated 0.18mm thin needles, non-insulated or insulated available




MULTIPLE NEEDLE CARTRIDGES

10pins 25pins 36pins 49pins 64pins,needle Depth 0.1mm–4mm adjustable



10 pins

Eyes and Nose Area




25 pins

Face Area




36 pins

Face Area



49 pins

Arms and Legs Area





64 pins

Body Area

COOLING HANDLE

Great for pain relieving, calming the skin and shrinking pores. Effectively reduce postoperative bleeding and reduce the risk of pigmentation.



calming the skin and shrinking pores



THERMAGICAL RF HANDPIECE

The non-invasive Thermagical RF Handpiece is used for skin tightening, anti-wrinkle, lifting, shaping and even fat reduction treatments. No downtime and recovery time.



FOUR DIFFERENT SIZES

Four different sizes of treatment heads can be applied to the treatment of different parts of the face and the body.



5x5mm

Eyes and Nose Area



10x10mm

Face Area



20x20mm

Arms and Legs Area



40x40mm

Body Area



Scars



Acne Scars



Stretch Marks



Skin Tightening



Pore Reduction



Wrinkle Reduction

SPECIFICATION

Power:	400W
RF Frequency:	5MHz/8MHz
Screen:	Screen: 12.4inch
Pulse Width:	Microneedling handle 250–600ms Thermagical handle 1000–3000ms
Depth:	0–4mm
Net Weight:	22kg
Voltage:	AC220V±10% 50HZ , 110v±10% 60HZ

SMAS FOCUS V
HIFU SERIES



7D HIFU Device

\$14,000
+\$1350 Shipping

VMAX SINGLE DOT HANDLE



1.5mm, 3.0mm, 4.5mm

Eyebrow, Wrinkles around eyes,
Wrinkles around month

2D HIFU HANDLE



1.5mm, 3.0mm, 4.5mm

Check, Forehead, Double chin, Neck
wrinkles, V-line forming

3D HIFU HANDLE



1.5mm, 3.0mm, 4.5mm

Check, Forehead, Double chin, Neck
wrinkles, V-line forming



6.0mm, 8.0mm, 10.0mm,
13.0mm, 16.0mm

Abdomen, Inner thighs, Outer thighs,
Hips & Buttocks, Inner arms, Breast


LIPOSONIX HANDLE



8.0mm, 13mm


Body slimming and fat reduction

VAGINAL HANDLE



3.0mm, 4.5mm


Vaginal tightening



HOW IT WORKS

HIFU-powered transducers deliver concentrated waves of ultrasound into multiple layers of skin and body tissues without making direct contact with surrounding areas.

Transferring stabilized temperatures of 65~75°C into the targeted zones, the smasfocus V aims to induce a process of neocollagenesis in the face while tightening body tissues for contouring purposes



SPECIFICATION

Power	1200 W
Frequency	4MHz-7Mhz
Width	1- 10 mm Adjustable
Length	5 - 25 mm Adjustable
Energy output	Energy output 0.2 - 2J/cm2
Cartridge shot	20000 lines
Cartridges	1.5mm,3.0mm,4.5mm,8.0mm (Standard) 6.0mm, 10.0mm,13.0mm,16.0mm (Optional)





CRYOLIPOLYSIS SERIES



C16

Cryolipolysis Device

\$15,000
+\$1500 Shipping



VC2

Multi Cryolipolysis Device


\$12,000
+\$1500 Shipping



TC2

Portable Cryolipolysis Device

\$8000
+\$800 Shipping



The cryolipolysis procedure safely delivers precisely controlled cooling to gently and effectively target the fat cells underneath the skin. Treated fat cells are crystalized (frozen), then die. Over time your body naturally processes the fat and eliminates these dead cells, leaving a more sculpted you.


FOR WHOLE BODY FAT FREEZING TREATMENT



NEW GENERATION 360 DEGREE HANDPIECE




High-definition touch screen
Screen size 3.5inch



Medical soft silicone material
Replaceable contours
Change contours with ease

Contours are securely fastened to the handle quickly , very convenient for different areas treatment

CRYOTEC360 VS OLD TECHNOLOGY



with cryotec
360°surround
cooling


100% Effective cooling area:
Surrounding cooling action In entire applicator



old technology

40% Effective cooling area
Cooling by two pads inside Applicator.

BEFORE & AFTER



SPECIFICATION

Handle Number	4 Handles Available	Cooling temperature	5 – -10℃
Handle Screen	3.5 inch touch screen	Input Power	2500W
Vacuum	0KPA-100KPA	Fuse specification	Ø5×25 15A
Cooling system	Wind Cooling + water cooling+ semiconductor cooling	Voltage	AC220V±10%,10A;50HZ AC110V±10%10A,60HZ



V-SHAPE BODY SLIMMING SERIES




VS6

V-Shape Body Slimming Device

\$14,000
+\$1500 Shipping


Facial Vacuum RF Handle



Face and Submental

- Skin rejuvenation & skin tightening (Laxity, wrinkles, fine lines)
- Face & neck contouring (submental shaping)
- Skin resurfacing



Infrared Vacuum Roller RF Handle (small)



Arms (bingo wings) & Back

- Circumferential reduction
- Skin tightening (Laxity)
- Stretch marks


Infrared Vacuum Roller RF Handle (big)



Legs (thighs & buttocks)

- Circumferential reduction
- Cellulitis treatment
- Body contouring
- Skin tightening

Vacuum Ultrasound Cavitation Handle




Stomach (abdomen & love handles)

- Circumferential reduction
- Body contouring
- Skin tightening (Laxity)
- Stretch marks (red and white)


90mmx120mm



PRINCIPLE OF TREATMENT



- Infrared laser directly heats the targeted area
- A vacuum elevates the target tissue, bring it closer to the energy source
- Bi-polar RF heat from epidermis to subcutaneous at 15mm depth
- Roller massage accelerates blood cycle and lymphatic drainage.



Accentuate your natural beauty and renew your confidence with Vshape

SPECIFICATION

Power of RF	800W
Frequency of RF	2Mhz
Infrared laser Power	20w
Infrared laser wavelength	940nm
Ultrasound power	200W
Vacuum Indensity	10-90Kpa
Dimensions	532mm x 537mm x 1130mm
Weight	50kg



Dermalux pro

DPL SKIN THERAPY SERIES



VI2

IPL Device

\$14,000
+\$1500 Shipping



T12


Portable IPL Device

\$9500
+\$850 Shipping




TWO DIFFERENT SPOT SIZES


Two different spot sizes, convenient for treatment of different parts



DPL VS IPL



After the energy reaches the dermis without any attenuation, only a little energy stays in the epidermis



The energy is concentrated in the shallow layer, and the thermal effect of the target tissue is low.

(AR) 430–530nm:



Improve acne, remove acne scar

(VR) 480–580nm:



Remove vascular and improve face redness

(HR) 640–950nm:



Light skin color fine hair removal

(SR) 530–630nm:



Pore remover, skin whitening, skintightening, anti-puffiness, dark circles etc

(PR) 560–660nm:



Remove freckle, sunburn, age spots, acne scar and facial defects etc

(HR) 755–950nm:



Permanent and Painless Hair removal. Remove unwanted hair on full body

SPECIFICATIONS

Power	3000W
Wavelength	(AR) 430–530nm;(VR) 480–580nm;(SR) 530–630nm; (PR) 560–660nm;(HR) 640–950nm;(HR) 755–950nm
DPL energy	10–60j/cm2
Spot size: SR	8*40mm, HR: 15*50mm
SHR energy	3–15j/cm2
Frequency	1–10Hz
RF power	160W
Screen size	12.1 inches
Net weight	50kg
Dimension	470*500* 1330mm
Package Size	530*492*1120mm
Gross weight	80.5kg
Voltage	AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ



Acne



Pigment



Skin Tightening



Vascular



Rosacea



Hair Removal

LED PDT SKIN THERAPY SERIES



LP100

LP300

Double Lamp LED Therapy Device

\$7500
+\$750 Shipping

Single Lamp LED Therapy Device


\$5750
+\$750 shipping



7 DIFFERENT COLORS




Purple Light 400-420nm	Blue Light 430-450nm	CyanLight 500-520nm	Yellow Light 570-600nm	Orange Light 590-630nm	White Light (mixed light)400-700nm	Red Light 630-700nm
----------------------------------	--------------------------------	-------------------------------	----------------------------------	----------------------------------	---	-------------------------------



LED LIGHT THERAPY BENEFITS INCLUDE

- + Repair and rejuvenate skin
 - + Increases blood flow to tissue
 - + Stimulates collagen production
 - + Relief of muscle and joint pain/pain management
- + Improve skin tone and texture
 - + Decreases the risk of bruising
 - + Treat acne, dermatitis, rosacea and psoriasis
 - + Decreases recovery time
- + Decreases deeper lines and wrinkles
 - + Stimulates ATD – cellular energy
 - + Skin tightening
- + Increases skin’s natural hydration
 - + Wound Healing
 - + Stimulates serotonin to the brain

ADJUSTABLE HEAD FOR LARGE COVERAGE OR FOCUSED INTENSITY.



Germany imported high–power LED, 100mw/pc.



SPECIFICATION

Diode Quantity	1500 / 3000
Power	400W / 800W
Diode Power	100mw/diode
Wavelength	400–700nm
LED Colors	Red Blue Yellow Orange Cyan Purple White
Screen	8inch touch screen
Working Mode	Pulse mode/ Continue Mode

Coolplus
SKIN AIR COOLING SERIES

Cooling Device
\$7,000
+\$2000 Shipping



AC2

CAP HANDLE (CAPACITIVE ELECTRIC TRANSFER)



The generated heat energy is conducted to 2–4cm under the skin, heating the collagen tissue of the dermis. stimulate the secretion of more new collagen to fill the gaps of atrophied and lost collagen, and finally achieve firming skin, filling wrinkles, The effect of restoring skin elasticity and radiance.




7 DIFFERENT CAP PROBES



POINTER ELECTRODES

For lifting and tightening of small areas such as the corners of the eyes, cheeks, neck, etc.

RES HANDLE (RESISTIVE ELECTRIC TRANSFER)



Deep penetration, the energy reaches 8–12cm under the skin. It can effectively dissolve deep visceral fat, and excrete through metabolism.

The heat energy generated by radio frequency can also be used to relieve joint pain, improve muscle tension, eliminate lactic acid, and clear the effect of meridians.

6 DIFFERENT RES PROBES



PlasmaTech I
PLASMA SKIN TIGHTENING SERIES



Plasma Device

\$6000
+\$350 Shipping




PLASMA II

PLASMA SURGICAL HANDPIECE



Delicate and precise surgical handpiece does not affect the skin cell tissue ,used in variety of skin problems such as acne, scar, facial skin treatment, upper and lower eyelid surgery and eyelid lifting.




Needle with Guide

Φ0.3 x 15mm(0.5mm
Guide) /Surgical Needle
Guide (with guide



General Needle

Φ0.3 x 15mm/General
Surgical Needle
(absence of guide)



PLASMA SHOWER HANDPIECE


Plasma Shower Handpiece removes the bacteria and helps absorb essential drug to the skin tissue.




TREATMENT RANGE

Eyebags	Lines around the mouth
Milia removal	Mole and wart removal
Fatty eye deposits	Skin tags
Crows feet	Scars and stretch marks
Smokers lip lines	Acne scarring


TDDS (TRANSDERMAL DRUG DELIVERY SYSTEM)



01. The free radicals generated by the plasma causing the skin's protective membrane temporarily open.




02. The skin nutrient solution can quickly penetrate the cell channel and be absorbed by the skin



03. After a period of time, the cell wall recovers and the nutrients are locked in the cells.

One-stop detection for "Aging, Sensitivity, Pigmentation, Skin texture, Sk

AN "ALL-IN-ONE" SKIN ANALYZER



FOUR SYMPTOMS ANALYSIS, 30+ DETECTION DIMENSIONS


AGING ANALYSIS



Forehead lines



Crow's feet





Frown lines



Nasolabial folds


SENSITIVITY ANALYSIS




Papules



Rosacea




Acne




Spider Vein

PIGMENTATION ANALYSIS



Age spots



Melasma





Freckles



Acne scars

SKIN TEXTURE ANALYSIS



Porphyrin



Pores



Wrinkles



Clogged Pores

Derma Skin Analyzer Device

\$6,000
Shipping Included

Optional electric trolley
+\$750