

Dosing Chart



Weight Loss

SEMAGLUTIDE

DOSE (mg)	STRENGTH	FILL VOLUME (mL)	TOTAL MG IN VIAL	UNITS ON SYRINGE	DOSING INSTRUCTIONS
0.25	1mg/mL	1mL	1mg	25 UNITS	Inject .25mg or 25 units Subcutaneously Weekly
0.5	2.5mg/mL	1mL	2.5mg	20 UNITS	Inject .5mg or 20 units Subcutaneously Weekly
1	2.5mg/mL	2mL	5mg	40 UNITS	Inject 1mg or 40 units Subcutaneously Weekly
1.7	2.5mg/mL	4mL	10mg	68 UNITS	Inject 1.7mg or 68 units Subcutaneously Weekly
2	2.5mg/mL	4mL	10mg	80 UNITS	Inject 2mg or 80 units Subcutaneously Weekly
2.4	2.5mg/mL	4mL	10mg	96 UNITS	Inject 2.4mg or 96 units Subcutaneously Weekly
2.5	2.5mg/mL	4mL	10mg	100 UNITS	Inject 2.5mg or 100 units Subcutaneously Weekly

TIRZEPATIDE

DOSE (mg)	STRENGTH	FILL VOLUME (mL)	TOTAL MG IN VIAL	UNITS ON SYRINGE	DOSING INSTRUCTIONS
2.5	10mg/mL	1mL	10mg	25 UNITS	Inject 2.5mg or 25 units Subcutaneously Weekly
2.5	20mg/mL	3mL	60mg	12.5 UNITS	Inject 2.5mg or 12.5 units Subcutaneously Weekly
5	10mg/mL	2mL	20mg	50 UNITS	Inject 5mg or 50 units Subcutaneously Weekly
5	20mg/mL	3mL	60mg	25 UNITS	Inject 5mg or 25 units Subcutaneously Weekly
7.5	10mg/mL	3mL	30mg	75 UNITS	Inject 7.5mg or 75 units Subcutaneously Weekly
7.5	20mg/mL	3mL	60mg	37.5 UNITS	Inject 7.5mg or 37.5 units Subcutaneously Weekly
10	20mg/mL	2mL	40mg	50 UNITS	Inject 10mg or 50 units Subcutaneously Weekly
10	20mg/mL	3mL	60mg	50 UNITS	Inject 10mg or 50 units Subcutaneously Weekly
12.5	20mg/mL	2.5mL	50mg	63 UNITS	Inject 12.5mg or 63 units Subcutaneously Weekly
12.5	20mg/mL	3mL	60mg	63 UNITS	Inject 12.5mg or 63 units Subcutaneously Weekly
15	20mg/mL	3mL	60mg	75 UNITS	Inject 15mg or 75 units Subcutaneously Weekly

Accessories

GLUTATHIONE

INFO	AMOUNT (mg)	VOLUME (mL)	UNITS ON SYRINGE	DOSING INSTRUCTIONS
STRENGTH (mg/mL): 200mg/mL	25	0.125	12.5 UNITS	Inject 25mg or 12.5 units Subcutaneously Weekly
	50	0.25	25 UNITS	Inject 50mg or 25 units Subcutaneously Weekly
VOLUME IN VIAL (mL): 10mL	100	0.5	50 UNITS	Inject 100mg or 50 units Subcutaneously Weekly
	150	0.75	75 UNITS	Inject 150mg or 75 units Subcutaneously Weekly
TOTAL GLUTATHIONE IN VIAL (mg): 2000mg	200	1	100 UNITS	Inject 200mg or 100 units Subcutaneously Weekly
	250	1.25	125 UNITS	Inject 250mg or 125 units Subcutaneously Weekly

- ✦ Contents of vial to be used within 28 days of first puncture
- ✦ Multidose vial with phenol as a preservative pH of the final product is 5.3-5.7
- ✦ Stable for 3 months at 2-8°C from the date of manufacture

NAD+

INFO	AMOUNT (mg)	VOLUME (mL)	UNITS ON SYRINGE	DOSING INSTRUCTIONS
STRENGTH (mg/mL): 100mg/mL	25	0.25	25 UNITS	Inject 25mg or 25 units Subcutaneously Weekly
	50	0.5	50 UNITS	Inject 50mg or 50 units Subcutaneously Weekly
VOLUME IN VIAL (mL): 10mL	100	1	100 UNITS	Inject 100mg or 100 units Subcutaneously Weekly
	150	1.5	150 UNITS	Inject 150mg or 150 units Subcutaneously Weekly
TOTAL NAD+ IN VIAL (mg): 1000mg	200	2	200 UNITS	Inject 200mg or 200 units Subcutaneously Weekly
	250	2.5	250 UNITS	Inject 250mg or 250 units Subcutaneously Weekly
STRENGTH (mg/mL): 200mg/mL	25	0.125	12.5 UNITS	Inject 25mg or 12.5 units Subcutaneously Weekly
	50	0.25	25 UNITS	Inject 50mg or 25 units Subcutaneously Weekly
VOLUME IN VIAL (mL): 6mL	100	0.5	50 UNITS	Inject 100mg or 50 units Subcutaneously Weekly
	150	0.75	75 UNITS	Inject 150mg or 75 units Subcutaneously Weekly
TOTAL NAD+ IN VIAL (mg): 1200mg	200	1	100 UNITS	Inject 200mg or 100 units Subcutaneously Weekly
	250	1.25	125 UNITS	Inject 250mg or 125 units Subcutaneously Weekly

- ✦ Contents of vial to be used within 28 days of first puncture
- ✦ Multidose vial with phenol as a preservative pH of the final product is 6.5-6.8
- ✦ Stable for 3 months at 2-8°C from the date of manufacture

SERMORELIN

INFO	AMOUNT (mg)	VOLUME (mL)	UNITS ON SYRINGE	DOSING INSTRUCTIONS
STRENGTH (mg/mL): 2.5mg/mL	0.25	0.1	10 UNITS	Inject .25mg or 10 units Subcutaneously Weekly
	0.5	0.2	20 UNITS	Inject .5mg or 20 units Subcutaneously Weekly
VOLUME IN VIAL (mL): 15mL	1	0.4	40 UNITS	Inject 1mg or 40 units Subcutaneously Weekly
	1.25	0.5	50 UNITS	Inject 1.25mg or 50 units Subcutaneously Weekly
TOTAL SERMORELIN IN VIAL (mg): 6mg	1.5	0.6	60 UNITS	Inject 1.5mg or 60 units Subcutaneously Weekly
	2	0.8	80 UNITS	Inject 2mg or 80 units Subcutaneously Weekly
	2.5	1	100 UNITS	Inject 2.5mg or 100 units Subcutaneously Weekly

- ✦ Contents of vial to be used within 28 days of first puncture
- ✦ Multidose vial with phenol as a preservative pH of the final product is 6.7-7.5
- ✦ Stable for 3 months at 2-8°C from the date of manufacture